CLINICA CHIMICA ACTA
Vol. 35 (1971)

BLANK
PAGE

CLINICA CHIMICA ACTA

INTERNATIONAL MONTHLY OF CLINICAL CHEMISTRY

Vol. 35 (1971)

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editor-in-chief: C. P. Stewart, Edinburgh
Associate Editor: S. C. Frazer, Aberdeen

Regional Editors:
for the Americas – M. Rubin, Washington, D.C.
for the British Commonwealth – R. Gaddie, Birmingham
for all other territories, including Europe – E. J. van Kampen, Groningen

Editorial Secretary:
Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

ELSEVIER PUBLISHING COMPANY
AMSTERDAM

All rights reserved: COPYRIGHT © 1971 BY ELSEVIER PUBLISHING CO., AMSTERDAM

PRINTED IN THE NETHERLANDS

CLINICA CHIMICA ACTA Vol. 35 (1971)

AUTHOR INDEX

APPLEGARTH, D. A. see INGRAM, P. . . . 523
ASTRUG, A., see PRODANOV, K. 445
BAGLEY, Jr. D. H., ZAPOLSKI, M., RUBIN, M., PRINCIOTTI. J. V.
(The metabolism and placental transfer of oral and parental iron chelates) . . 305
BAGSHAWE, K. D. see JACOBY, B. . . . 473
BELL, E. D., MAINWARING, W. I. P.
(A method for the determination of urinary metabolites of tryptophan) . 209
BENDOVÁ, M. see ŠKRAMOVSKÝ, V. . . . 353
BERK, J. E. see DAVIS, J. 305
BERK, J. E. see UEDA, M. 299
BIENENSTOCK, J. see POORTMANS, J. . . 449
BISERTE, G. see SEZILLE, G. 109
BISMUTH, J., CASTAY, M., LISSITZKY, S.
(Sephadex filtration of serum iodocompounds and protein-binding of iodotyrosines) 285
BLAINEY, J. D. see TERRY, J. M. 317
BOHUON, C. see COMOY, E. 369
BOUCHER, I. A. D., CLAMP, J. R.
(Glycoproteins in human bile) 83
BOUVER, N. see WONG, S. C. 521
BRADLEY, K. H. see SCHULMAN, J. D. . 383
BRAITHWAITE, R. A., WIDDOP, B.
(A specific gas-chromatographic method for the measurement of "steady-state" plasma levels of amitriptyline and nortriptyline in patients) 461
BROJER, B., MOSS, D. W.
(Changes in the alkaline phosphatase activity of serum samples after thawing and after reconstitution from the lyophilized state) 511
BRUSILOVSKY, A. I. see WIEDERSCHAIN, G. Y. 99
BUNGERT, H.-J., LEONHARDT, H., MACHA, H.-N.
(Immunologische Untersuchungen des Ferritins bei einem Fall von Lungenhämosiderose mit Glomerulonephritis (Goodpasture-Syndrom) 233
BURNETT, D. see GOUDIE, J. H. 133
CAO, A. see TANGHERONI, W. 165
CARLIER-VANNEUVEVILLE, A. see HAYEM-LEVY, A. 151
CASTAY, M. see BISMUTH, J. 285
CHAMBERS, T. R.
(Photodensitometry of mouse serum lactate dehydrogenase isoenzymes separated on polyacrylamide gel) 321
CHAYEN, R. see HARELL, A. 245
CLOTHIER, B. see RUNDLE, A. T. 389
COMOY, E., BOHUON, C.
(Iso-homovanillic acid determination in human urine) 369
COOPER, J. D. H. see SETCHELL, K. D. R. 67
COOK, J. G. H. see HALLETT, C. J. . . . 33
COPPA, G. see TANGHERONI, W. 165
COURTOIS, J. E. see DEMELIER, J. F. . . . 335
DAVIS, J., BERK, J. E., TAKE, S., FRIDHANDLER, L.
(Electrophoretic characteristic of macroamylasic serum) 305
DAVIS, J. see UEDA, M. 299
DEADMAN, N. M.
(Evaluation of chromogens suitable for occult blood in faeces) 273
DEBRY, G. see GUISARD, D. 493
DEMELIER, J. F., MASSARI, M., COURTOIS, J. E., LABAT, J.
(Tréhalase du sérum humain dans quelques affections hépatiques) 335
DE VIRGILIIS, S. see TANGHERONI, W. . . 165
DI FERRANTE, N. see NERI, G. 359
DIXON, K. see LEWIS, P. W. 21
DOMINO, E. F. see JOHNSON, S. 421
DZIECIUCHOWICZ, S. see PAWLAK, A. L. . 395
ELLIS, G., GOLDBERG, D. M.
(Comparison of amino transferase activities as determined by the original, revised and optimum spectrophotometric methods) 241
ELLMAN, G. L.
(Does chlorpromazine interfere with the Porter-Silber reaction) 79
ERICSSON, A. D. see SZPUNAR, W. E. . . . 199
EZE, L. C. see WALKER, B. A. 433
FRIDHANDLER, L. see DAVIS J. 305
FRIDHANDLER, L. see UEDA, M. 299
FRUCHART, J. C. see SEZILLE, G. 109
FUCHS, C. see PASCHEN, K. 401
FURBETTA, M. see TANGHERONI, W. . . . 165
GARBUS, J.
(Serum malate dehydrogenase isoenzymes as indicators of severe cellular injury) 502
GARDNER-THORPE, C., PARSONAGE, M. J., TOOTHILL, C.

(A comprehensive scheme for the evaluation of anticonvulsive concentrations in blood using thin-layer chromatography) 39
GOLDBERG, D. M. see ELLIS, G. 241
GONAND, J. P. see GUISARD, D. 493
GORDON, E. K., OLIVER, J.
(3-Methoxy-4-hydroxyphenylethylene glycol in human cerebrospinal fluid) . . 145
GOUDIE, J. H., BURNETT, D.
(A rapid method for detection of methaqualone metabolites) 133
GUISARD, D., GONAND, J. P., DEBRY, G.
(Nouvelle méthode pour la détermination automatique simultanée et continue de la glycémie, et la lactacidémie) 493
HAINSWORTH, I. R., HALL, P. E.
(A simple automated method for the measurement of oestrogens in the urine of pregnant women) 191
HALL, P. E. see HAINSWORTH, I. R. . . . 191
HALLETT, C. J., COOK, J. G. H.
(Reduced nicotinamide adenine dinucleotide-coupled reaction for emergency blood urea estimation) 33
HARELL, A., NEUFELD, E., KISCH, E., CHAYEN, R.
(The excretion of imidazoles following histidine loading in cases of thyrotoxicosis) 245
HAVEZ, R. see HAYEM-LEVY, A. 151
HAYEM-LEVY, A., CARLIER-VANNEUVILLE, A., VANDEWALLE, P., HAVEZ, R.
(Isolement de la transcobalamine foetale) 151
HELGER, R. see KRAFFCZYK, F. 345
HOFMANN, A. F., see THOMPSON, R. P. H. 517
HRGOVCIC, R. see NERI, G. 359
HUISMAN, T. H. J. see WONG, S. C. . . . 521
INGRAM, P., APPLEGARTH, D. A., STURROCK, S., WHYTE, J. N. C.
(Sorbitol and mannitol in human urine) 523
JACOBY, B., BAGSHAWE, K. D.
(Placental-type alkaline phosphatase from human tumour tissue) 473
JAILLARD, J. see SEZILLE, G. 109
JOHNSON, S., DOMINO, E. F.
(Cholinergic enzymatic activity of cerebrospinal fluid of patients with various neurologic diseases) 421
JUNG, D. H., PAREKH, A. C.
(A new color reaction for choiesterol assay) 73
KAHANE, Z., VESTERGAARD, P.
(The quantitative estimation of urinary 3-methoxy-4-hydroxy phenylacetic acid (Homovanillic acid) 49
KARLI, N. J. see KEHAYOGLOU, K. A. . . 508
KAROŃ, H. see PAWLAK, A. L. 395
KEHAYOGLOU, K. A., KARLI, N. J., KIRIAZIDIS, K. J., THEODOSSIOU, A.
(Familial hypercholesterolemia) 508
KELER-BAČOKA, N.
(Quantitative Bestimmung einzelner Harnproteine mittels einfacher radialen Immunodiffusion) 363
KINDMARK, C.-O.
(Identification of C-reactive protein by agarose gel electrophoresis of human serum or plasma) 491
KIRIAZIDIS, K. J. see KEHAYOGLOU, K. A. 508
KISCH, E. see HARELL, A. 245
KLAASSEN, C. D.
(Gas-liquid-chromatographic determination of bile acids in bile) 227
KOBAYASHI, K., NISHIMOTO, Y., SHIMIZU, K.
(Clinical and experimental studies of acid phosphatase in renal failure) . . . 173
KOLIBABA, L. G. see WIEDERSCHAIN, G. Y. 99
KRAFFCZYK, F., HELGER, R., LANG, H.
(Thin layer chromatographic screening test for amino acid anomalies in urine without desalting using internal standards) 345
LABAT, J. see DEMELIER, J. F. 335
LAITE, P. A. see WILLS, M. R. 517
LANG, H. see KRAFFCZYK, F. 345
LEWIS, P. W., DIXON, K.
(Action limits for internal quality control) 21
LEONHARDT, H. see BUNGERT, H.-J. . . 233
LEONARD, P. J., PERSAUD, J., MOTWANI, R.
(The estimation of plasma albumin by B.C.G. dye binding on the Technicon SMA 12/60 analyser and a comparison with the HABA dye binding technique) 409
LIGHTSTONE, P. J. see SMITH, I. 59
LINDY, S., TURTO, H., UITTO, J., VAINIO, K.
(Origin of synovial fluid lactate dehydrogenase in rheumatoid arthritis) . . . 377
LIPINSKI, J. see MATHYSSE, S. 253
LISSITZKY, S. see BISMUTH, J. 287
LOMBARTS, A. J. P. F., PETERS, H. J.
(An improved automated assay of serum glutamic-oxalacetic transaminase) . . . 257
LUKE, K. H. see POORTMANS, J. 449
LUNGAROTTI, S. see TANGHERONI, W. . . 165
LUSTBERG, T. J., SCHULMAN, J. D. SEEGMILLER, J. E.
(The preparation and identification of various adducts of oxidized homogentisic acid and the development of a new sensitive colorimetric assay for homogentisic acid) 325
MCCANN, D. S. see SZPUNAR, W. E. . . . 199
MCGOWAN, G. K. see WALKER, W. H. C. . 455
MACHA, H.-N. see BUNGERT, H.-J. . . . 233
MAINWARING, W. I. P. see BELL, E. D. . 209
MASSARI, M. see DEMELIER, J. F. 335
MATTHYSSE, S., LIPINSKI, J., SHIH, V.
(L-DOPA and S-adenosylmethionine) . 253
MITCHELL, W. D.
(A comparison of the effect of clofibrate and thyroxine on serum lipids in three hypothyroid subjects) 429
MOREIRA AQUINO, A. see THIELMANN, K. 239
MOSS, D. W.
(Determination of intestinal alkaline

phosphatase in serum by substrate-specificity measurements) 413
Moss, D. W. see Brojer, B. 511
Motwani, R. see Leonard, P. J. 409
Myhal, D. R. see Rylance, H. J. . . . 159
Neri, G., Di Ferrante, N., Hrgovcic, R.
(Measurement of plasma glycosaminoglycans: an extension of the method) . 359
Neufeld, E. see Harell, A. 245
Nielsen, H. G., Weeke, B.
(Quantitative determination of human fibrinogen in plasma following carbamylation by Laurell electrophoresis in antibody containing gel) 281
Nishimoto, Y. see Kobayashi, K. . . . 173
Oliver, J. see Gordon, E. K. 145
Orrell, D. H.
(Albumin as an aid to the interpretation of serum calcium) 483
Parekh, A. C. see Jung, D. H. 73
Parsonage, M. J. see Gardner-Thorpe 39
Paschen, K., Fuchs, C.
(A new micro-method for Na, K, Ca, and Mg determinations in a single serum dilution by atomic-absorption spectrophotometry) 401
Pawlak, A. L., Karoń, H., Torliński, L., Dzieciuchowicz, S.
(The binding of ^{51}Cr with phosphate compounds in chromium labelled red blood cells) 395
Perkins, J. R.
(Effects of light on the determination of citruline) 247
Perry, J. D. see Smith, I. 59
Persaud, J. see Leonard, P. J. 409
Persijn, J.-P., Slik, van der, W., Riethorst, A., Timmer, C. J.
(Determination of serum iron and unsaturated iron-binding capacity) . . . 89
Persijn, J. P., Slik, van der, W., Zwart, W.A.
(Colorimetric assay for γ-glutamyl transpeptidase) 239
Peters, H. J. see Lombarts, A. J. P. F. 257
Poortmans, J., Luke, K. H., Zipursky, A., Bienenstock, J.
(Fibrinolytic activity and fibrinogen split products in exercise proteinuria) . 449
Price Evans, D. A. see Walker, B. A. . 433
Price, C. P., Woodman, D. D.
(An improved autoanalyzer technique for the determination of serum alkaline phosphate) 265
Princiotti, J. V. see Bagley Jr., D. H. 311
Prodanov, K., Astrug, A.
(Guanase activity in endemic Balkan nephropathy) 445
Robinson, B. H. B. see Rushton, M. L. 5
Rosenfeld, E. L. see Wiederschain, G. Y. 99
Rubin, M. see Bagley Jr, D. H. 311
Rundle, A. T., Clothier, B., Sudell, B.
(Serum IgD levels and infections in Down's syndrome) 389
Rushton, M. L., Sammons, H. G., Robinson, B. H. B.
(A study of calcium absorption using an automated fluorimetric procedure) . . 5
Rylance, H. J., Myhal, D. R.
(Taurine excretion and the influence of drugs) 159
Sammons, H. G. see Rushton, M. L. . . 5
Schatz, B. C.
(Calcium-binding method revisited) . . 251
Scherpereel, Ph. see Sezille, G. . . . 109
Schneider, J. A. see Schulman, J. D. . 383
Schulman, J. D. see Lustberg, T. J. . . 325
Schulman, J. D., Schneider, J. A., Bradley, K. H., Seegmiller, J. E.
(Cystine, cysteine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro*, and in cultured normal amniotic cells) 383
Scott, P. H.
(A fluorometric method for the determination of plasma tyrosine concentrations) 17
Seakins, J. W. T.
(The determination of urinary phenylacetylglutamine as phenylacetic acid. Studies on its origin in normal subjects and children with cystic fibrosis) . . . 121
Seegmiller, J. E. see Lustberg, T. J. . 325
Seegmiller, J. E. see Schulman, J. D. . 383
Setchell, K. D. R., Cooper, J. H. D.
(A routine method for the detection and quantitation of amphetamine in urine) 67
Sezille, G., Jaillard, J., Scherpereel, Ph., Fruchart, J. C., Biserte, G.
(Variations quantitatives et qualitatives des acides gras non-esterifiés plasmatiques sous l'effet d'une surcharge lipidique administrée par voie orale chez l'homme normal 109
Shepherdson, J. C. see Walker, W. H. C. 455
Shih, V. see Mathysse, S. 253
Shimizu, K. see Kobayashi, K. 173
Simmons, P.
(Quantitation of plasma proteins in low concentrations using RID) 53
Sláma, J. see Zelníček, E. 496
Slik, van der, W. see Persijn, J. P. . . 239
Škramovský, V., Večerek, B., Bendová, M., Trnka, V.
(Fluorometric determination of cystine-aminopeptidase/oxytocinase in blood serum) 353
Smith, A. F.
(The effect of temperature on lactate and 2-hydroxy butyrate dehydrogenase assay) 498
Smith, E. R. B., Weil-Malherbe, H.
(On the occurrence of glusulase-hydrolyzable conjugates of 3,4-dihydroxyphenylacetic and homovanilic acids in human urine) 505
Smith, I., Lightstone, P. J., Perry, J. D.

(Isoelectric focusing of alkaline phosphatases. A focusing-disc electrophoresis transfer technique) 59
STURROCK, S. see INGRAM, P. 523
SUDELL, B. see RUNDLE, A. T. 389
SULWAY, M. J. see TROTTER, M. D. . . . 137
SWINGLER, M. C. see TERRY, J. M. . . . 317
SZPUNAR, W. E., ERICSSON, A. D., MCCANN, D.S.
(Tyrosine metabolism: urinary excretion studies in parkinsonism) 199
TAKE, S. see DAVIS, J. 305
TANGHERONI, W., CAO, A., LUNGAROTTI, S., COPPA, G., DE VIRGILIIS, S., FURBETTA, M.
(Characterization of platelet alkaline phosphatase in normal subjects and in trisomy 21 Down's syndrome patients) 165
TERRY, J. M., BLAINEY, J. D., SWINGLER, M. C.
(An automated method for lysozyme assay) 317
THEODOSSIOU, A. see KEHAYOGLOU, K. A. 508
THIELMANN, K., MOREIRA AQUINO, A.
(Whole blood samples dried and stored on filter paper as substrate for the electrophoretic separation on hemoglobin S from hemoglobin A. A screening procedure) 239
THOMPSON, R. P. H., HOFMANN, A. F.
(Separation of bilirubin and its conjugates by thin layer chromatography) . 517
THOMSON, W. H. J.
(Serum enzyme studies in acquired disease of skeletal muscle) 183
THOMSON, W. H. S.
(Serum enzyme studies in inherited disease of skeletal muscle) 217
TOOTHILL, C. see GARDNER-THORPE 39
TORLIŃSKI, L. see PAWLAK, A. L. . . . 395
TRNKA, V. see ŠKRAMOVSKÝ, V. 353
TROTTER, E. see TROTTER, M. D. 137
TROTTER, M. D., SULWAY, M. J., TROTTER E.
(The rapid determination of acetone in breath and plasma) 137
TURTO, H. see LINDY, S. 377
TWEEDIE, M. C. K. see WALKER, B. A. . 433
UEDA, M., BERK, J. E., FRIDHANDLER, L., DAVIS, J.
(Ultracentrifugal characteristics of macroamylasemic serum) 299
UITTO, J. see LINDY, S. 377
VAINIO, K. see LINDY, S. 377
VANDEWALLE, P. see HAYEM-LEVY, A. . . 151
VEČEREK, B. see ŠKRAMOVSKÝ, V. . . . 353
VESTERGAARD, P. see KAHANE, Z. . . . 49
WALKER, B. A. EZE, L. C., TWEEDIE, M. C. K., PRICE EVANS, D. A.
(The influence of ABO blood groups, secretor status and fat ingestion on serum alkaline phosphatase) 433
WALKER, W. H. C., SHEPHERDSON, J. C., MCGOWAN, G. K.
(Theoretical considerations in continuous flow analysis) 455
WEEKE, B. see NIELSEN, H. G. 281
WEIL-MALHERBE, H. see SMITH, E. R. B. 505
WHYTE, J. N. C. see INGRAM, P. 523
WIDDOP, B. see BRAITHWAITE, R. A. . . 461
WIEDERSCHAIN, G. Y., ROSENFELD, E. L., BRUSILOVSKY, A. I., KOLIBABA, L. G.
(α-L-fucosidase and other glycosidases in human placenta, foetus liver and amniotic fluid at various stages of gestation) 99
WILLS, M. R., LAITE, P. A.
(Apparent change in the pK_1 of carbonic acid in plasma in response to acute metabolic acidosis in normal subjects) . . 514
WILSON, J. B. see WONG, S. C. 521
WONG, S. C., BOUVER, N., HUISMAN, T. H. J., WILSON, J. B.
(Hb-J-Georgia = Hb-J-Balitmore = $\alpha_2\beta_2^{16}$Gly → Asp) 521
WOODMAN, D. D. see PRICE, C. P. . . . 265
ZAPOLSKI, E. J. see BAGLEY JR, D. H. . 305
ZELNIČEK, E., SLÁMA, J.
(Phenylpyruvate and *o*-hydroxyphenylacetate in phenylketonuric urine) . . 496
ZIPURSKY, A. see POORTMANS, J. 449
ZWART, W. A. see PERSIJN, J. P. 239

CLINICA CHIMICA ACTA Vol. 35 (1971)

SUBJECT INDEX

ABO blood groups, secretor status and fat ingestion, influence on serum alkaline phosphatase (WALKER, EZE, TWEEDIE, PRICE EVANS) 433
Acetone, rapid determination in breath and plasma (TROTTER, SULWAY, TROTTER) 137
Acid phosphatase in renal failure, clinical and experimental studies (KOBAYASHI, NISHIMOTO, SHIMIZU) 173
Acute metabolic acidosis in normal subjects, apparent change in the pK_1 of carbonic acid in plasma (WILLS, LAITE) 514
S-adenosylmethionine and L-DOPA (MATHYSSE, LIPINSKI, SHIH) 253
Agarose gel electrophoresis, identification of C-reactive protein in human serum or plasma (KINDMARK) 491
Albumin as an aid to the interpretation of serum calcium (ORRELL) 483
Alkaline phosphatase activity changes, of serum sample after thawing and after reconstitution from the lyophilized state (BROJER, MOSS) 511
Alkaline phosphatase, characterization in platelets in normal subjects and in trisomy 21 Down's syndrome patients (TANGHERONI, CAO, LUNGAROTTI, COPPA, DE VIRGILIIS, FURBETTA) 165
Alkaline phosphatases, isoelectric focusing. A focusing-disc electrophoresis transfer technique (SMITH, LIGHTSTONE PERRY) 59
Alkaline phosphatase, placental-type from human tumour tissue (JACOBY, BAGSHAWE) 473
Alkaline phosphate, serum, an improved autoanalyser technique for the determination (PRICE, WOODMAN) 265
Amino acid anomalies, in urine, thin layer chromatographic screening test without desalting using internal standards (KRAFFCZYK, HELGER, LANG, BREMER) 345
Aminotransferase activities comparison as determined by the original, revised and optimum spectrophotometric methods (ELLIS, GOLDBERG) 241
Amitriptyline and nortriptyline "steady-state" plasma levels in patients, a specific gas-chromatographic method for the measurement (BRAITHWAITE, WIDDOP) 461
Amniotic fluid, human placenta and foetus liver at various stages of gestation, α-L-fucosidase and other glycosidases (PERSIJN, VAN DER SLIK, RIETHORST, TIMMER) 99
Amphetamine, in urine, a routine method for the detection and quantitation (SETCHELL, COOPER) 67
Anticonvulsant concentrations in blood, a comprehensive scheme for the evaluation using thin layer chromatography (GARDNER-THORPE, PARSONAGE, TOOTHILL) 39
Assay, cholesterol, a new color reaction (JUNG, PAREKH) 73
Assay, improved automated, of serum glutamic-oxalacetic transaminase (LOMBARTS, PETERS) 257
Assay procedure, automated fluorometric, for study of calcium absorption (RUSHTON, SAMMONS, ROBINSON) 5
Atomic-absorption spectrophotometry for a new micro-method for Na, K, Ca, and Mg determinations in a single serum dilution by atomic-absorption spectrophotometry (PASCHEN, FUCHS) 401
Autoanalyser technique, improved, for the the determination of serum alkaline phosphate (PRICE, WOODMAN) 265
B.C.G. dye binding for the estimation of plasma albumin on the Technicon SMA 12/60 analyser and a comparison with the HABA dye binding technique (LEONARD, MOTWANI, PERSAUD) . . 409
Bile acids, gas-liquid-chromatographic determination in bile (KLAASSEN) . . . 227
Bile, gas-liquid-chromatographic determination of bile acids (KLAASSEN) . . 227
Bile, human, glycoproteins (BOUCHER, CLAMP) 83
Bilirubin, and its conjugates, separation by thin layer chromatography (THOMPSON, HOFMANN) 517
Blood, anticonvulsant concentrations, comprehensive scheme for evaluation using thin layer chromatography (GARDNER-THORPE, PARSONAGE, TOOTHILL) 39

Blood serum, fluorometric determination of cystineaminopeptidase/oxytocinase (Škramovský, Večerek, Bendová, Trnka) 353
Blood urea estimation, emergency, NADH-coupled, reduced method (Hallett, Cook) 33
Breath, and plasma, rapid determination of acetone (Trotter, Sulway, Trotter) 137
Calcium absorption, a study, using an automated fluorimetric assay procedure (Rushton, Sammons, Robinson) 5
Calcium-binding method revisited (Schatz) 251
Cellular injury, severe, serum malate dehydrogenase isoenzymes as indicators (Smith) 502
Cerebrospinal fluid, human, 3-methoxy-4-hydroxyphenylethylene (Gordon, Oliver) 145
Cerebrospinal fluid of patients with various neurologic diseases, cholinergic enzymatic activity (Johnson, Domino) . . 421
Chlorpromazine, does it interfere with the Porter-Silber reaction? (Ellman) . . 79
Cholesterol assay, a new color reaction (Jung, Parekh) 73
Cholinergic enzymatic activity, of CSF of patients with various neurologic diseases (Johnson, Domino) 421
Chromogens evaluation, suitable for occult blood in faeces (Deadman) . . . 273
Citrulline determination, effects of light (Perkins) 247
Clofibrate, comparison of the effect with thyroxine on serum lipids in three hypothyroid subjects (Mitchell) . . . 429
Colorimetric assay for γ-glutamyl transpeptidase (Persijn, van der Slik, Zwart) 239
Colorimetric assay, sensitive, development for homogentisic acid and the preparation and identification of various adducts of oxidized homogentisic acid (Lustberg, Schulman, Seegmiller) 325
Color reaction, new, for cholesterol assay (Jung, Parekh) 73
Continuous, flow analysis, theoretical considerations (Walker, Sheperdson, McGowan) 455
^{51}Cr, binding with phosphate compounds in chromium labelled red blood cells (Pawlak, Karón, Torliński, Dzieciuchowicz) 395
C-reactive protein, identification by agarose gel electrophoresis of human serum or plasma (Kindmark) 491
Cysteine, cystine and glutathione metabolism in normal and cystinotic fibroblasts in vitro, and cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) . 383
Cystic fibrosis, the determination of urinary phenylacetylglutamine as phenylacetic acid. Studies on its origin in normal subjects and children with cystic fibrosis (Seakins) 121
Cystineaminopeptidase/oxytocinase, fluorometric determination in blood serum (Škramovský, Večerek, Bendová, Trnka) 353
Cystine, cysteine and glutathione metabolism in normal and cystinotic fibroblasts in vitro, and in cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 383
Cystinotic and normal fibroblasts in vitro, and in cultured normal amniotic fluid cells, metabolism of cystine, cysteine, and glutathione (Schulman, Schneider, Bradley, Seegmiller) 383
Detection, and quantitation of amphetamine in urine, by a routine method (Setchell, Cooper) 67
Down's syndrome, serum IgD levels and infections (Rundle, Clothier, Sudell) 389
Drugs influence on taurine excretion (Rylance, Myhal) 159
Electrophoretic characteristics, of macroamylasemic serum (Davis, Berk, Take, Fridhandler) 305
Electrophoretic separation of Hb S from Hb A, in whole blood samples, dried and stored on filter paper as substrate. A screening procedure (Thielmann, Moreira Aquino) 239
Endemic Balkan nephropathy, guanase activity (Prodanov, Astrug) 445
Enzyme, serum, studies in acquired disease of skeletal muscle (Thomson) 183
Enzyme, serum, studies in inherited disease of skeletal muscle (Thomson) . . 217
Exercise proteinuria, fibrinolytic activity and fibrinogen split products (Poortmans, Luke, Zipursky, Bienenstock) 449
Familial hypercholesterolemia (Kehayogou, Karli, Kiriazidis, Theodossiou) 508
Fat ingestion, ABO blood groups, secretor status, influence on serum alkaline phosphatase (Walker, Eze, Tweedie, Price Evans) 433
Fatty acids, non-esterified in plasma, quantitative and qualitative variations, when an overdose of lipids is administered by oral route in normal man (Sezille, Jaillard, Scherpereel, Fruchart, Biserte) 109
Ferritin, immunologic studies in a case of pulmonary haemosiderosis and glomerulonephritis (Goodpasture syndrome) (Bungert, Leonhardt, Macha) . . 233
Fibrinogen, human, in plasma following carbamylation by Laurell electrophoresis in antibody containing gel, quantitative determination (Nielsen, Weeke) 281

Fibrinogen split products and fibrinolytic activity in exercise proteinuria (POORTMANS, LUKE, ZIPURSKY, BIENENSTOCK) 449
Fibrinolytic activity, and fibrinogen split products in exercise proteinuria (POORTMANS, LUKE, ZIPURSKY, BIENENSTOCK) 449
Fluorimetric assay procedure, automated, for study of calcium absorption (RUSHTON, SAMMONS, ROBINSON) 5
Fluorometric determination, of cystine-aminopeptidase/oxytocinase in blood serum (ŠKRAMOVSKÝ, VEČEREK, BENDOVÁ, TRNKA) 353
Fluorometric method, for the determination of plasma tyrosine concentrations (SCOTT) 17
Focusing-disc electrophoresis transfer technique, for isoelectric focusing of alkaline phosphatases (SMITH, LIGHTSTONE, PERRY) 59
Foetus liver, human placenta, and amniotic fluid at various stages of gestation, α-L-fucosidase and other glycosidases (PERSIJN, VAN DER SLIK, RIETHORST, TIMMER) 99
α-L-Fucosidase, and other glycosidases in human placenta, foetus liver and amniotic fluid at various stages of gestation (PERSIJN, VAN DER SLIK, RIETHORST, TIMMER) 89
Gas chromatographic method, specific, for the measurement of "steady-state" plasma levels of amitriptyline and nortriptyline in patients (BRAITHWAITE, WIDDOP) 461
Gas-liquid-chromatographic determination of bile acids in bile (KLAASSEN) . 227
Glomerulonephritis, pulmonary haemosiderosis (Goodpasture syndrome), immunologic studies of ferritin (BUNGERT, LEONHARDT, MACHA) 233
Glusulase-hydrolyzable conjugates of 3,4-dihydroxyphenylacetic acid and homovanillic acids, occurrence in human urine (SMITH, WEIL-MALHERBE) . . . 505
Glutamic-oxalacetic transaminase, serum, an improved automated assay (LOMBARTS, PETERS) 257
γ-Glutamyl transpeptidase, colorimetric assay (PERSIJN, VAN DER SLIK, ZWART) 239
Glutathione, cysteine, cystine metabolism in normal and cystinotic fibroblasts in vitro, and cultured normal amniotic fluid cells (SCHULMAN, SCHNEIDER, BRADLEY, SEEGMILLER) 383
Glycemia, and lactacidemia, new method for the simultaneous and continued determination (GUISARD, GONAND, DEBRY) 493
Glycogen storage disease type II (Pompe's disease), choice of leukocyte preparation in the diagnosis (WYSS, KOSTER, HÜLSMANN) 277
Glycoproteins, in human bile (BOUCHER, CLAMP) 83
Glycosaminoglycans measurement in plasma, an extension of the method (NERI, DI FERRANTE, HRGOVCIC) 359
(Goodpasture syndrome), glomerulonephritis and pulmonary haemosiderosis, immunologic studies of ferritin (BUNGERT, LEONHARDT, MACHA) 233
Guanase activity in endemic Balkan nephropathy (PRODANOV, ASTRUG) 445
HABA dye binding technique, comparison with the B.C.G. dye binding on the Technicon SMA 12/60 dye binding technique for the estimation of plasma albumin (LEONARD, PERSAUD, MOTWANI) 409
Haemosiderosis, pulmonary, and glomerulonephritis (Goodpasture syndrome) immunologic studies of ferritin (BUNGERT, LEONHARDT, MACHA) 233
Hb-J-Georgia = Hb-J-Baltimore = $\alpha_2\beta_2^{16}$Gly → Asp (WONG, BOUVER, WILSON, HUISMAN) 521
Hemoglobin S, electrophoretic separation from Hb A, with whole blood samples, dried and stored on filter paper as substrate. A screening procedure (THIELMANN, MOREIRA AQUINO) 239
Hepatic diseases, human serum trehalase (DEMELIER, MASSARI, COURTOIS, LABAT) 335
Histidine loading, effect on excretion of imidazoles in cases of thyrotoxicosis (HARELL, NEUFELD, KISCH, CHAYEN) 245
Homogentisic acid, new sensitive colorimetric assay development and the preparation and identification of various adducts of oxidized homogentisic acid (LUSTBERG, SCHULMAN, SEEGMILLER) . 325
Homovanillic acids and glusulase-hydrolyzable conjugates of 3,4-dihydroxyphenylacetic acid, occurrence in human urine (SMITH, WEIL-MALHERBE) . 505
Homovanillic acid, quantitative estimation in urine (KAHANE, VESTERGAARD) 49
2-hydroxy butyrate dehydrogenase assay and LDH, the effect of temperature (SMITH) 498
o-hydroxyphenylacetate and phenylpyruvate in phenylketonuric urine (ZELNIČEK, SLÁMA) 496
Hypothyroid subjects, serum lipids, a comparison of the effect of clofibrate and thyroxine (MITCHELL) 429
IgD levels, serum and infections in Down's syndrome (RUNDLE, CLOTHIER, SUDELL) 389
Imidazoles excretion, following histidine loading in cases of thyrotoxicosis (HARELL, NEUFELD, KISCH, CHAYEN) . . 245
Immunologic studies, of ferritin in a case of pulmonary haemosiderosis and glomerulonephritis (Goodpasture-syndro-

me) (Bungert, Leonhardt, Macha). 233
Iron chelates, oral and parental, metabolism and placental transfer (Bagley, Zapolski, Rubin, Princiotti) . . . 311
Isoelectric focusing, of alkaline phosphatases. A focusing-dic electrophoresis transfer technique (Smith, Lightstone, Perry) 59
Iso-homovanillic acid determination in huhuman urine (Comoy, Bohuon) . . . 369
Infections and serum IgD levels in Down's syndrome (Rundle, Clothier, Sudell) 389
Intestinal alkaline phosphatase determination in serum by substrate-specificity measurements (Moss) 413
Lactacidemia, and glycemia, new method for the simultaneous and continued determination (Guisard, Gonand, Debry) 493
Lactate dehydrogenase and 2-hydroxy butyrate dehydrogenase assay, the effect of temperature (Smith) 498
Lactate dehydrogenase, isoenzymes of mouse serum separated on polyacrylamide gel, photodensitometry (Chambers) 321
Lactate dehydrogenase, origin in synovial fluid in rheumatoid arthritis (Lindy, Turto, Uitto, Vainio) 377
Laurell electrophoresis, quantitative determination of human fibrinogen in plasma following carbamylation in antibody containing gel (Nielsen, Weeke) 281
L-DOPA and S-adenosylmethionine (Mathysse, Lipinski, Shih) 253
Leukocyte preparation choice, in the diagnosis of glycogen storage disease type II (Pompe's disease) (Wyss, Koster, Hülsmann) 277
Light effects on the determination of citrulline (Perkins) 247
Lipids, the effect of an overdose on quantitative and qualitative variations of non-esterified fatty acids in plasma, when administered by oral route in normal man (Sezille, Jaillard, Scherpereel, Fruchart, Biserte) . 109
Lysozyme assay, automated method (Terry, Blainey, Swingler) 317
Mannitol, and sorbitol in human urine (Ingram, Applegarth, Sturrock, Whyte) 523
Metabolism, and placental transfer of oral and parental iron chelates (Bagley, Zapolski, Rubin, Princiotti) . . . 311
Methaqualone metabolites, a rapid method for, detection (Goudie, Burnett) . . 133
3-Methoxy-4-hydroxy phenylacetic acid (homovanillic acid) quantitative estimation in urine (Kahane, Vestergaard) 49
3-methoxy-4-hydroxyphenylethylene glycol in human cerebrospinal fluid (Gordon, Oliver) 145
Micro-method, new, for Na, K, Ca and Mg determinations in a single serum dilution by atomic-absorption spectrophotometry (Paschen, Fuchs) 401
Mouse serum, LDH isoenzymes separated on polyacrylamide gel, photodensitometry (Chambers) 321
NADH-coupled method, reduced, for emergency blood urea estimation (Hallett, Cook) 33
Nortriptyline and amitriptyline "steady-state" plasma levels in patients, a specific gas-chromatographic method for the measurement (Braithwaite, Widdop) 461
Occult blood in faeces, evaluation of suitable chromogens (Deadman) 273
Oestrogens, a simple automated method for the measurement in the urine of pregnant women (Hainsworth, Hall) 191
Oxidized homogentisic acid, preparation and identification of various adducts, and the development of a new sensitive colorimetric assay for homogentisic acid (Lustberg, Schulman, Seegmiller) 325
Parkinsonism, urinary excretion studies on tyrosine metabolism (Szpunar, Ericsson, McCan) 199
Phenylacetic acid, the determination of urinary phenylacetylglutamine. Studies on its origin in normal subjects and children with cystic fibrosis (Seakins) 121
Phenylacetylglutamine, determination in urine as phenylacetic acid. Studies on its origin in normal subjects and children with cystic fibrosis (Seakins) . . 121
Phenylketonuric urine, phenylpyruvate and *o*-hydroxyphenylacetate (Zelníček, Sláma) 496
Phenylpyruvate, and *o*-hydroxyphenylacetate in phenylketonuric urine (Zelníček, Sláma) 496
Phosphate compounds, binding with ^{51}Cr in chromium labelled red blood cells (Pawlak, Karón, Torliński, Dzieciuchowicz) 395
Photodensitometry, of mouse serum lactate dehydrogenase isoenzymes separated on polyacrylamide gel (Chambers) 321
pK_1, apparent change of carbonic acid in plasma in response to acute metabolic acidosis in normal subjects (Wills, Laite) 514
Placenta, human, foetus liver and amniotic fluid at various stages of gestation, α-L-fucosidase and other glycosidases (Persijn, Van der Slik, Riethorst, Timmer) 99
Placental transfer and metabolism of oral and parental iron chelates (Bagley, Zapolski, Rubin, Princiotti) . . . 311

Placental-type alkaline phosphatase from human tumour tissue (JACOBY, BAGSHAWE) 473
Plasma albumin, estimation by B.C.G. dye binding on the Technicon SMA 12/60 analyser and a comparison with the HABA dye binding technique (LEONARD, PERSAUD, MOTWANI) 409
Plasma, and breath, rapid determination of acetone (TROTTER, SULWAY, TROTTER) 137
Plasma, carbonic acid, apparent change in pK_1 in response to acute metabolic acidosis in normal subjects (WILLS, LAITE) 514
Plasma glycosaminoglycans measurement, an extension of the method (NERI, DI FERRANTE, HRGOVCIC) 359
Plasma proteins, quantitation of low concentrations using RID (SIMMONS) . . 53
Plasma, quantitative determination of human fibrinogen following carbamylation by Laurell electrophoresis in antibody containing gel (NIELSEN, WEEKE) 281
Plasma, quantitative and qualitative variations in non-esterified fatty acids, when an overdose of lipids is administered by oral route in normal man (SEZILLE, SCHERPEREEL, FRUCHART, BISERTE) 109
Plasma tyrosine concentrations, determination by a fluorometric method (SCOTT) 17
Platelet alkaline phosphatase, characterization in normal subjects and in trisomy 21 Down's syndrome patients (TANGHERONI, CAO, LUNGAROTTI, COPPA, DE VIRGILIIS, FURBETTA) 165
(Pompe's disease), glycogen storage disease type II, choice of leukocyte preparation in the diagnosis (WYSS, KOSTER, HÜLSMANN) 277
Porter-Silber reaction, does chlorpromazine interfere with it? (ELLMAN) . . . 79
Protein binding, of iodotyrosines, sephadex fitration of serum iodocompounds (BISMUTH, CASTAY, LISSITZKY) . . . 285
Quality control, internal, action limits (LEWIS, DIXON) 21
Quantitation, and detection of amphetamine in urine, by a routine method (SETCHELL, COOPER) 67
Quantitation of plasma proteins in low concentrations using RID (SIMMONS) . 53
Quantitative estimation of urinary 3-methoxy-4-hydroxy phenylacetic acid (homovanillic acid) (KAHANE, VESTERGAARD) 49
Radial immunodiffusion, simple, quantitative determination of urinary proteins (KELER-BAČOKA) 363
Red blood cells, chromium labelled, binding of ^{51}Cr with phosphate compounds (PAWLAK, KARÓN, TORLIŃSKI, DZIECIUCHOWICZ) 395
Reduced nicotinamide adenine dinucleotide-coupled reaction for emergency blood urea estimation (HALLETT, COOK) 33
Renal failure, clinical and experimental studies of acid phosphatase (KOBAYASHI, NISHIMOTO, SHIMIZU) 173
Rheumatoid arthritis, origin of synovial fluid dehydrogenase (LINDY, TURTO, UITTO, VAINIO) 377
RID for quantitation of plasma proteins in low concentrations (SIMMONS) . . . 53
Routine method, for the detection and quantitation of amphetamine in urine (SETCHELL, COOPER) 67
Scheme, comprehensive for the evaluation of anticonvulsant concentrations in blood using thin-layer chromatography (GARDNER-THORPE, PARSONAGE, TOOTHILL) 39
Secretor status, ABO blood groups and fat ingestion, influence on serum alkaline phosphatase (WALKER, EZE, TWEEDIE, PRICE EVANS) 433
Sephadex filtration of serum iodocompounds and protein-binding of iodotyrosines (BISMUTH, CASTAY, LISSITZKY) 285
Serum alkaline phosphatase, influence of ABO blood groups, secretor states and fat ingestion (WALKER, EZE, TWEEDIE, PRICE EVANS) 433
Serum, alkaline phosphate, improved autoanalyser technique for the determination (PRICE, WOODMAN) 265
Serum calcium, albumin as an aid to the interpretation (ORRELL) 483
Serum, determination of intestinal alkaline phosphatase by substrate-specific measurements (MOSS) 423
Serum enzyme, studies in acquired disease of skeletal muscle (THOMSON) 183
Serum, enzyme studies in inherited disease of skeletal muscle (THOMSON) 217
Serum glutamic-oxalacetic transaminase, an improved automated assay (LOMBARTS, PETERS) 257
Serum, human trehalase in some hepatic diseases (DEMELIER, MASSARI, COURTOIS, LABAT) 335
Serum IgD levels and infections in Down's syndrome (RUNDLE, CLOTHIER, SUDELL) 389
Serum iodocompounds, sephadex filtration and protein-binding of iodotyrosines (BISMUTH, CASTAY, LISSITZKY) . . . 285
Serum iron, determination, and unsaturated iron-binding capacity (PERSIJN, VAN DER SLIK, RIETHORST, TIMMER) . 89
Serum lipids, in three hypothyroid subjects, a comparison of the effect of clofibrate and thyroxine (MITCHELL) . . 429
Serum, macroamylasemic, electrophoretic characteristics (DAVIS, BERK, TAKE, FRIDHANDLER) 305

Serum, macroamylasemic, ultracentrifugal characteristics (Ueda, Berk, Fridhandler, Davis) 299
Serum malate dehydrogenase isoenzymes as indicators of severe cellular injury (Smith) 502
Serum samples, after thawing and after reconstitution from the lyophilized state, alakaline phosphatase activity changes (Brojer, Moss) 511
Skeletal muscle acquired disease, serum enzyme studies (Thomson) 183
Skeletal muscle, inherited disease, serum enzyme studies (Thomson) 217
Sorbitol, and mannitol in human urine (Ingram, Applegarth, Sturrock, Whyte) 523
Spectrophotometric methods, original, revised and optimum comparison of aminotransferase activities (Ellis, Goldberg) 241
Substrate-specificity measurements for determination of intestinal alkaline phosphatase (Moss) 413
Synovial fluid, origin of LDH in rheumatoid arthritis (Lindy, Turto, Uitto, Vainio) 377
Taurine excretion and the influence of drugs (Rylance, Myhal) 159
Technicon SMA 12/60 analyser, B.C.G. dye binding for the estimation of plasma albumin and a comparison with the HABA dye binding technique (Leonard, Persaud, Motwani) 409
Thin layer chromatography, separation of bilirubin and its conjugates (Thompson, Hofmann) 517
Thin-layer chromatography, used in a comprehensive scheme for the evaluation of anticonvulsant concentration in blood (Gardner-Thorpe, Parsonage, Toothill) 39
Thin layer chromatographic screening test, for amino acid anomalies in urine without desalting using internal standard (Krafczyk, Helger, Lang, Bremer) 345
Thyrotoxicosis, the excretion of imidazoles following histidine loading (Harell, Neufeld, Kisch, Chayen) 245
Thyroxine, comparison of the effect with clofibrate on serum lipids in three hypothyroid subjects (Mitchell) . . . 429
Transcobalamine, foetal, isolation (Hayem Levy, Carlier-Vanneuveville, Vandewalle, Havez) 151
Trehalase, human serum, in some hepatic diseases (Demelier, Massari, Courtois, Labat) 335
Trisomy 21 Down's syndrome patients, characterization of platelet alkaline phosphatase and in normal subjects (Tangheroni, Cao, Lungarotti, Coppa, De Virgiliis, Furbetta) 165
Tryptophan, urinary metabolies, a method for the determination (Bell, Mainwaring) 209
Tumour tissue, human, placental-type alkaline phosphatase (Jacoby, Bagshawe) 473
Tyrosine concentrations in plasma, determination by a fluorometric method (Scott) 17
Tyrosine metabolism, urinary excretion studies in parkinsonism (Szpunar, Ericsson, McCann) 199
Ultracentrifugal characteristics, of macroamylasemic serum (Ueda, Berk, Fridhandler, Davis) 299
Unsaturated iron-binding capacity and serum iron determination (Persijn, Van der Slik, Riethorst, Timmer) . 89
Urea estimation, in blood, reduced NADH-coupled method for emergency (Hallett, Cook) 33
Urine, amino acid anomalies, thin layer chromatographic screening test without desalting using internal standards (Krafczyk, Helger, Lang, Bremer) 345
Urine, amphetamine, a routine method for the detection and quantitation (Setchell, Cooper) 67
Urine, determination of phenylacetylglutamine as phenylacetic acid. Studies on its origin in normal subjects and children with cystic fibrosis (Seakins) 121
Urine, excretion studies in parkinsonism on tyrosine metabolism (Szpunar, Ericsson, McCann) 199
Urine, human, iso-homovanillic acid determination (Comoy, Bohuon) 369
Urine, human, sorbitol and mannitol (Ingram, Applegarth, Sturrock, Whyte) 523
Urine, metabolites of tryptophan, a method for the determination (Bell, Mainwaring) 209
Urine, oestrogens a simple automated method for measurement in pregnant women (Hainsworth, Hall) 191
Urine, proteins, quantitative determination by simple radial immunodiffusion (Keler-Bačoka) 363
Urine, quantitative estimation of 3-methoxy-4-hydroxy phenylacetic acid (homovanillic acid) (Kahane, Vestergaard) 49
Whole blood samples, dried and stored on filter paper as substrate for the electrophoretic separation of hemoglobin S from hemoglobin A. A screening procedure (Thielmann, Moreira Aquino) . 239